

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING



APPLICATION RATES AND TIMING

CROP	RATE ml/ha	TIMING	WATER L/ha
Carrots	200-250	As soon as sufficient leaf area to intercept spray	50-200
Cereals	125-400	Between 4 leaf stage and stem elongation	50-200
Cherries	250	At bud burst, before green cluster and immediately after harvest. DO NOT APPLY DURING GREEN CLUSTER OR FLOWERING Apply at flowering	1000
Lettuce	120-350	10-20 days after transplant or emergence	100
Lucerne	125-250	At first cut, seed production and at bud formation	50-200
Macadamia	250-500	During spring and autumn flush. DO NOT APPLY DURING EARLY BUDDING OR NUT DEVELOPMENT	1000
Maize	250-350	At 6 leaf stage	100-200
Onions	250	As soon as sufficient leaf area to intercept spray	50-200

Cu 5000

ANALYSIS

COPPER (Cu) as copper oxide
 NITROGEN (N) as urea

Maximum biuret level
 This product contains

Water

%WV

50.0
 6.9

0.1%

61.55w/w

g/L

500
 69

10 Litres NETT

Manufactured by

RUTEK PTY LTD

23 HARGRAVE STREET
 TAMWORTH NSW 2340

GENERAL INSTRUCTIONS

MIXING AND SPRAYING

Shake the container thoroughly before use. Pour through the filter into the tank three quarters filled with water, whilst agitating. Top up with water and continue to agitate until spraying is completed.

PRECAUTIONS

Avoid application under extremes of climate eg. Rapid drying conditions, extremely slow drying conditions, frost rain or when frost or rain are anticipated

COMPATIBILITY

RUTEK products are widely compatible with many agrichemicals. Contact your distributor for information.

STORAGE AND DISPOSAL

Store in the closed original container, in a well-ventilated area as cool as possible. Protect from frost. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal and add hoses to tank mix or dispose of rinsate in a disposal pit away from desirable plants, their roots and watercourses. On-site disposal of undiluted chemicals is unacceptable. Destroy empty containers by breaking, crushing or puncturing them. Dispose of the containers at a local authority landfill that does not burn its refuse. If there is no local authority landfill readily available in your area, bury the containers to a depth of 500mm or more at a licenced/approved disposal site. In some states wastes can only be buried at a licenced landfill. Do not burn empty containers or product.

SPILLAGE

Hose small spillage (less than 1 litre of concentrate) away with a large excess of water. Large spillage should be absorbed in sawdust or sand and the absorbent material containing the product disposed of in a sealed container at an approved disposal site.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

Do NOT contaminate streams, rivers or waterways with the chemical or used containers.

SAFETY DIRECTIONS

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Avoid inhaling spray mist.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre Ph: 13 11 26. If in eyes, flush with water for 15 minutes and see a doctor.

EXCLUSION OF WARRANTIES AND LIMITATIONS OF LIABILITY

The purchaser acknowledges that no express or implied warranty, condition, description or representation is given or made by Rutek Pty Ltd (ABN 91 002 846 988) in relation to this product. To the maximum extent permitted by the law, all warranties, terms, conditions and any duty of care which would otherwise be implied or arise by operation of law, statute or use in relation to this product are hereby excluded as against any and all persons, whether purchasers of this product or not. To the maximum extent permitted by law, Rutek's total liability to any person in connection with this product, whether arising from a breach of any express or implied term, condition or warranty, any duty of care or otherwise, other than any liability which by these terms or otherwise is excluded, shall not exceed the amount paid by the purchaser to the vendor for this product, whether or not such liability results from or involves