RECOMMENDED APPLICATION RATES AND TIMING

| CROP | RATE L/Ha | TIMING | WATER |
|---|--------------|--|----------------|
| Asparagus | 4 | Apply to stems pre senescence | 50-200 |
| Avocado | 4-6 | Spring and summer flushes | 500- 1000 |
| Berries | 3-5 | Apply as early as possible in growing season, as long as there is sufficient leaf cover | 200-500 |
| Bananas | 2-5 | Split applications throughout the season | 30-500 |
| Brassicas, Canola | 2-3 | Apply at 86% ground cover or at onset of rapid stem extension | 50-500 |
| Carrot Lettuce | 4-8 | | 50-200 |
| Cereals | 1.5-4 | Apply in early tillering to jointing stage | 50-500 |
| Citrus | 2 x 3 | Spring and Autumn flushes | 500- |
| Corn, maize, legumus crops, | 3-4 | At 4-6 true leaf stage. Repeat if necessary | 1000 50-200 |
| tomatoes Cucurbits Onions | 4 | 2-3 applications—commence when sufficient leaf to intercept spray | 50-200 |
| Custard Apples Kiwifruit | 2 x 4-5 4 | Apply to young foliage 1. Extension shoot development 2. Fruit development 3. Post harvest prior to leaf fall | |
| Lucerne | 3 | After alternate cuts when sufficient leaf to intercept spray | 500- 1000 |
| Macadamias | 4-8 | Early spring flush | 50-200 |
| Mango | 4 x 4 | During spring flush | 500- 1000 |
| Pawpaw | 4 | Post flowering and 14 days later | 500- 1000 |
| Pineapple | 4 | During leaf growth at 4-6 week intervals | 200-500 |
| Pome & Stone | 3-4 5 | After petal fall & at 14 day intervals Post harvest prior to senescence | 200-500 |
| Potatoes | 3-6 | Apply 1 week after 100% emergence. Repeat 14 days later then during bulking | 500- 1000 |
| Tomatoes | 4-5 | When 15cm high. Repeat 14 days later | 50-200 |
| Vines | 3 x 3 | 1.Lower truss visible 2. Flower buds separated 3. Fruit set | 50-500 |
| Grape stalk necrosis(grape shrivel) | 3 x 4 | Fruit set 2. Closure of clusters 3. At ripening | 500- |

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING



| ANALYSIS | %W/V | g/L | | | |
|-----------------------------|------|--------|--|--|--|
| Magnesium (Mg) as magnesium | | | | | |
| hydroxide | 30.0 | 300.00 | | | |
| Nitrogen (N) as urea | 6.9 | 69.00 | | | |
| | | | | | |

This product contains Solids 64% w/w Water 36% w/w

Maximum biuret

Manufactured by

RUTEC PTY LTD

23 HARGRAVE STREET TAMWORTH NSW 2340

10L

GENERAL INSTRUCTIONS

MIXING AND SPRAYING

Before use, shake the container thoroughly. Fill tank to 3/4. Add Megamag Liquid while agitating. Top up with water and agitate continuously while spraying. Do not apply during extreme climatic conditions ie. very hot, very cold, frost or rain, or when there is a prediction of frost or rain.

COMPATIBILITY

Rutec products are widely compatible with other agrochemicals. Contact your distributor for information.

STORAGE AND DISPOSAL

Store in the closed, original container, in a well-ventilated area as cool as possible. Protect from frost. Do not store for prolonged period in direct sunlight. Triple rinse containers before disposal and add hosings to tank mix or dispose of rinsate in a disposal pit away from desirable plants and their roots and watercourses.

On-site disposal of undiluted chemicals is unacceptable. Destroy empty containers by breaking crushing or puncturing them. Dispose of the containers at a local authority landfill that does not burn its refuse. If there is no local authority landfill readily available in your area, bury the containers at a depth of 500mm or more at a iicensed/approved disposal site. In some States wastes can only be buried at a licensed landfill. Do not burn empty containers or product.

SPILLAGE

0.1%

Hose small spillage (less than 1 litre of concentrate) away with a large excess of water. Large spillage should not be directed to drains. Large spillage should be absorbed in sawdust or sand and the absorbent material containing the product disposed of in a sealed container at an approved disposal site. PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT Do NOT contaminate streams, rivers or waterways with the chemical or used containers.

SAFETY DIRECTIONS

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Avoid inhaling spray mist.FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Ph: 131126

If in eyes, flush with water for 15 minutes and see a doctor.

EXCLUSION OF WARRANTIES AND LIMITATION OF LIABILITY

The purchaser acknowledges that no express or implied warranty, condition, description or representation is given or made by Rutec Pty Ltd (ABN 91 002 846 988) in relation to this product. To the maximum extent permitted by the law, all warranties, terms, conditions and any duty of care which would otherwise be implied or arise by operation of law, statute or use in relation to this product are hereby excluded as against any and all persons, whether purchasers of this product or not.

To the maximum extent permitted by law, Rutec's total liability to any person in connection with this product, whether arising from a breach of any express or implied term, condition or warranty, any duty of care or otherwise, other than any liability which by these terms or otherwise is excluded, shall not exceed the amount paid by the purchaser to the vendor for this product, whether or not such liability results from or involves negligence on the part of Rutec